



EU-TYPE EXAMINATION CERTIFICATE



The following model of Personal Protective Equipment has been subjected to an EU-type examination in accordance with the module B of the PPE regulation (2016/425) and has been shown to satisfy to essential health and safety requirements.

Certificate N° 0075/2941/162/07/21/1249

Issued by CTC, Notified Body N°0075, to the following model of personal protective equipment :

Manufacturer : RIBIMEX
56 Route de Paris RN4 77340 Pontault Combault
France

Description

PPE Type : *protective glove against mechanical risks, cold risks*

Product reference : PRGAN08TER, PRGAN09TER, PRGANT10TER

Glove description : outer 15G polyester, inner 7G terry acrylic, sandy nitrile glove, palm coated.

Available sizes : 8,9,10

Pictures :



RIBIMEX

EN 511  020  8  EN 388

CE 3121X

Ref. PRGAN08TER

RIBIMEX

Fabriqué en R.P.C.
Importé par Ribimex SA
56 Route de Paris
F-77340 PONTAULT-COMBAULT
N° de lot :

Reference standard :

Levels of performance / class of protection

« X » indicates that the glove has not been submitted to the test or the test method appears not to be suitable for the glove design or material.
« 0 » indicates that the glove falls below the minimum performance level for the individual hazard.

EN ISO 21420:2020

-

EN 388:2016 + A1:2018

3 1 2 1 X

EN 511:2006

0 2 0

At the date of the certificate, the product is in compliance with Annex XVII of REACH regulation (n° 1907/2006 and revisions)

Full description of the PPE, reference rules verified in the context of the EU-type examination and information given on the product are detailed in the manufacturer's technical file and the Instruction for Use index 01 dated from July, 2021

NOTA : Any modification to new items of the personal protective equipment object of this EU type approval certificate or any modification of the information contained in the manufacturer technical file which served for the deliverance of the EU type approval certificate (change of address, change of company status) should be brought to the attention of the notified body in accordance with Annex V §7.2 of Regulation 2016/425. Any marking on the PPE which is not concerned by the Regulation (UE) 2016/425, is not covered by this certificate.

Issued in Lyon by
Didier GUISSADO
Certification and Quality Manager

Date of first issue : 23 July 2021
End of validity date : 23 July 2026



www.ctcgroupe.com

cemarking@ctcgroupe.com

In application of the Regulation 2016/425 of the European parliament and the Council of 9th March 2016 related to Personal Protective Equipment and repealing the Directive 89/686/EEC.



Accreditation n° 5-0594
Scope available on:
www.cofrac.fr

CTC - 4, rue Hermann Frenkel - 69367 Lyon cedex 07 - France
Tél. : +33 (0)4 72 76 10 10 - Fax : +33 (0)4 72 76 10 00 - ctclyon@ctcgroupe.com

Comité Professionnel de Développement Économique (CPDE) Cuir Chaussure Maroquinerie Ganterie
Loi 78-654 du 22.06.1978 - Siret 77564972600160 - Code NAF 9412Z - TVA FR 88775649726



RIBIMEX

MANUFACTURER'S TECHNICAL FILE TO THE PPE REGULATION 2016/425

Reference of the product :

PRGAN08TER, PRGAN09TER,
PRGANT10TER

Article code :

Technical file index :

01

Last update :

July, 2021

IDENTIFICATION

Reference of the product :	:	PRGAN08TER, PRGAN09TER, PRGANT10TER
Article code :	:	
Basic Model		
Technical file index :	:	01
Last update :	:	July, 2021

Manufacturer :

RIBIMEX

56 Route de Paris RN4 77340 Pontault Combault

France

tel : 0160345677

fax : 0160299239

Factory :

NANTONG DONGHENG CENTURY SAFETY PRODUCTS COMPANY

NO.189, YOUYI WEST ROAD, JUEGANG TOWN, RUDONG COUNTY, NANTONG
,JIANGSU, CHINA

CHINA

tel: 0513-84413855

fax: 0513-84413736

GLOVE DESCRIPTION

General glove description and intended use:

outer 15G polyester, inner 7G terry acrylic, sandy nitrile glove, palm coated.

This glove is designed against mechanical risks, cold risks.

Type of coating finish : sandy

Visual description (picture back and palm sides) :



Risk assessment (Essential Health and Safety Requirement. Annex II - PPE Regulation)			
		Applicable	Covered by
§1	Requirements defined in the Annex II §1 are applicable to all PPE	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/> Standard <input checked="" type="checkbox"/> Instruction for use <input checked="" type="checkbox"/> Marking
§1.4	Manufacturer's instructions and information is available	<input checked="" type="checkbox"/>	<input type="checkbox"/> Standard <input checked="" type="checkbox"/> Instruction for use <input type="checkbox"/> Marking
§2.5	PPE which may be caught up during use	<input checked="" type="checkbox"/>	<input type="checkbox"/> Standard <input checked="" type="checkbox"/> Instruction for use <input type="checkbox"/> Marking
§2.12	PPE bearing one or more identification markings or indicators directly or indirectly relating to health and safety	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/> Standard <input checked="" type="checkbox"/> Instruction for use <input checked="" type="checkbox"/> Marking
§2.14	Multi-risk PPE	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/> Standard <input checked="" type="checkbox"/> Instruction for use <input checked="" type="checkbox"/> Marking
§3.3	The PPE is intended to protect against mechanical injuries	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/> Standard <input checked="" type="checkbox"/> Instruction for use <input checked="" type="checkbox"/> Marking
§3.7	Protection against cold	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/> Standard <input checked="" type="checkbox"/> Instruction for use <input checked="" type="checkbox"/> Marking

Glove constitution :

	Reference	Color	Material	Surfacic mass (g/m ²)	Gauges	Thickness
Palm		black	nitrile	650g/m ²		0.7mm
		yellow	polyester	160g/m ²	15	
Back		Yellow	polyester	160g/m ²		
Lining	palm/back lining	yellow	acrylic	380g/m ²	7	
	cuff lining	yellow	acrylic + elastic			
Cuff		yellow	polyester/elastic	250g/m ²	15	
Binding	BLUEPE, YELLOWPE, REDPE, GREYPE	Blue, Yellow, Red, Grey	polyester			

PROTECTION SCOPE

This glove meets the essential requirements of the Personal Protective Equipment Regulation 2016/425.

This glove is designed against mechanical risks, cold risks.

It is a category II product.

GENERAL REQUIREMENTS

Standard EN ISO 21420 : 2020

Dexterity : 3

Available size range: 8,9,10

The hand sizing system is based on hand circumference and hand length as defined in EN ISO 21420 Annex B table B.1

SPECIFIC REQUIREMENTS AND PERFORMANCE LEVELS

« X » indicates that the glove has not been submitted to the test or the test method appears not to be suitable for the glove design or material.

« 0 » indicates that the glove falls below the minimum performance level for the individual hazard.

Mechanical hazard EN 388 : 2016 + A1 : 2018

Protection offered	Performance levels
Abrasion resistance	3
Blade cut resistance	1
Tear strength resistance	2
Puncture resistance	1
Cut Resistance method (EN ISO 13997)	X
Impact Protection	-

The levels of performance have been measured on the palm.

Cold hazard EN 511 : 2006

	Minimum performance level require	Performance obtained
Abrasion resistance	≥ 2	3
Tear strength	≥ 2	2
Flexibility behaviour for coated materials	no crack	conform
Extreme cold flexibility for glove resistant to -30°C	no crack	X
Convective cold	–	0
Contact cold	–	2
Water penetration	0 or 1	0

TEST REPORTS

Laboratory	CTC	Other
EN ISO 21420 + innocuousness	L191225021_1 S210302493_2	
EN 388	S210302493_2	
EN 511	L210407178_2 L210712379_1	

MARKING - PACKAGING

Information printed on the glove :

Logo of Manufacturer :

Logo 

Glove's reference : PRGAN08TER, PRGAN09TER, PRGANT10TER

Article Code :

Size indicator

Pictograms related to risks against which protection is offered with performance levels

Information pictogram

Address of Manufacturer :

Date of Manufacture (month/year) and/or serial/batch number :

Date of obsolescence (month/year) if applicable:

Marking example :



Fabriqué en R.P.C.
 Importé par Ribimex SA
 56 Route de Paris
 F-77340 PONTAULT-COMBAULT
 N° de lot :

Marking of packaging example :



Method of marking on the glove :

PRINT ON THE LABEL

Packaging suitable for transport:

1 PAIR/HEAD CARD, 12 PAIRS/POLYBAG, 144 PAIRS/OUTER CARTON.

PPE subject to ageing :

The design performance can not be significantly affect by ageing when stored in appropriate conditions (humidity, temperature, clean , ventilated, light).

Cleaning instructions:

The gloves are not washable.

MEANS OF CONTROL

Raw material (liner) inspection standard

1. Inspection content

- 1).the liner of gloves must be perfect in the appearance, not loss, broken, color different and so on.
- 2). the length and width of the knitting cuff and the total gloves as well as the weight of a pair of gloves must be within the standard of demand.
- 3). check the position and the content of fabric mark .

2. Inspection procedure

- 1) Extract 10% of the total quantity of gloves to inspect the weight and the appearance.
- 2) Extract 3% of the total quantity to exam the length and the width of gloves.

3. Inspection standards

- 1). the supplier must be products according to the request of the buyer.
- 2).the inspection must be taken according to the contract strictly.
- 3). the rate of quantity products must be more than 98%, otherwise, the rate of extraction is extended to 30%.
- 4).If the quantity products less than 98%, we will return the goods till the rate achieves 98%.

Process inspection standard

1. Inspection content

- 1). The gloves liner in the model is perfect as well as the fabric mark.
- 2). Make sure all of the workers do according to the regulation, in correct time, control the correct temperature.
- 3). Rubber on the gloves is neat, no dirt, no bubble, the wrinkle finger is all right
- 4).All of the products must be washed cleanly and placed tidy
- 5). If the inspectors find out some matters about the procedure, they are entitled to stop the production as soon as possible. And then solve them together with related technician.

2. Record

Inspectors must go around and inspect once per hour, find matters, solve them in time and keep record, report to manager if need be.